7	Hits	Search Text	DB	Time stamp
L Number	HITS	Search Text	DB	Time Scamp
3	316	((display\$3 or output\$3 or show\$3 or	USPAT;	2003/11/11
Ĭ	310	render\$3) with (in adj succession)) and	US-PGPUB;	15:08
		(@ad<20010426)	IBM TDB	
4	81	((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
		chronologic\$7) and ((display\$3 or	US-PGPUB;	15:13
		output\$3 or show\$3 or render\$3) with ((in	IBM_TDB	
		adj succession) or (one near2 one) or		
		continous\$5)) and (@ad<20010426)		
7	176	((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
		chronologic\$7) and (captur\$3 with (file\$2	US-PGPUB;	16:18
		or object\$2 or data\$2 or record\$2 or	IBM_TDB	-
		image\$2 or picture\$2 or vedio\$2 or		
	,	multimedia)) and (@ad<20010426) . (((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
13	1	chronologic\$7) same (easy or fast)) and	US-PGPUB;	18:21
		(captur\$3 with (file\$2 or object\$2 or	IBM TDB	10.21
	,	data\$2 or record\$2 or image\$2 or	15100	
	·	picture\$2 or vedio\$2 or multimedia)) and		
		(@ad<20010426)		
16	321	((display\$3 or output\$3 or show\$3 or	USPAT;	2003/11/11
		play\$3 or render\$3) with ((in adj	US-PGPUB;	17:26
		succession) or ((one near2 one) with	IBM_TDB	
	,	continous\$5))) and (@ad<20010426)		
17	19	((display\$3 or output\$3 or show\$3 or	USPAT;	2003/11/11
		play\$3 or render\$3) with (music or	US-PGPUB;	17:30
		multimedia\$3 or image\$2 or file\$2) with	IBM_TDB	
		((in adj succession) or ((one near2 one)		1
	100	with continous\$5))) and (@ad<20010426)	USPAT;	2003/11/11
19	486	((display\$3 or output\$3 or show\$3 or play\$3 or render\$3) with (music or	US-PGPUB;	17:31
		multimedia\$3 or image\$2 or file\$2) with	IBM TDB	1,,,,,,
		((in adj succession) or ((one near2 one)	15155	
		with continous\$5) or forward)) and		
		(captur\$3 with (file\$2 or object\$2 or		
		data\$2 or record\$2 or image\$2 or		i
		picture\$2 or vedio\$2 or multimedia)) and		
		(@ad<20010426)		
21	1	(((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
		chronologic\$7) same (easy or fast)) and	US-PGPUB;	18:22
		(captur\$3 with (file\$2 or object\$2 or	IBM_TDB	
		data\$2 or record\$2 or image\$2 or		
		picture\$2 or vedio\$2 or multimedia)) and	1	
		(@ad<20010426) and ((stor\$3 or sav\$3 or		
		sort\$3) with order)	USPAT;	2003/11/11
-	9931	((captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or	US-PGPUB;	15:06
		frame or screen or banner or	IBM TDB	-3.44
		advertisement or ads)).ab. and		
		(@ad<20010426)		
_	73	((rewind\$3 or replay\$3 or redisplay\$3 or	USPAT;	2003/05/15
	"	reshow\$3 or (re adj (wind\$3 or play\$3 or	US-PGPUB;	12:50
		display\$3 or show\$3))) and ((captur\$3 or	IBM_TDB	
		sav\$3 or track\$3 or trap\$5 or store or	_	
		storing) with (message or frame or screen		
		or banner or advertisement or ads))).ab.		
		and (@ad<20010426)]	0000/05/15
_	4	((rewind\$3 or replay\$3 or redisplay\$3 or	USPAT;	2003/05/15
	1	reshow\$3 or (re adj (wind\$3 or play\$3 or	US-PGPUB;	12:51
	İ	display\$3 or show\$3))) and ((automatic\$5	IBM_TDB	
		or dynamic\$5) with (captur\$3 or sav\$3 or		
	1	track\$3 or trap\$5 or store or storing)		
		with (message or frame or screen or banner or advertisement or ads))).ab. and		
		(@ad<20010426)		
		\Gau\20010120		1

			~	
-	493	((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or	USPAT; US-PGPUB;	2003/05/15 12:52
		display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads)).ab. and	IBM_TDB	
_	276	(@ad<20010426) ((automatic\$5 or dynamic\$5) with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:55
		frame or screen or banner or advertisement or ads)) and ((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads)) and (@ad<20010426)		
_	143	(internet or web or html or display\$3).ab. and ((automatic\$5 or dynamic\$5) with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or box or frame or screen or banner or advertisement or ads)) and ((playback\$3 or rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or show\$3))) with (browser or html or xml or	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:58
-	458	page or web or message or frame or screen or banner or advertisement or ads)) and (@ad<20010426) (internet or web or html or display\$3).ab. and (automatic\$5 with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or box or frame or screen or banner or advertisement or ads or browser or web)) and (@ad<20010426) and (707/\$.ccls. or	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:58
_	238	709/\$.ccls. or 715/\$.ccls. or 705/\$.ccls. or 345/\$.ccls.) (snapshoot\$3 or snapshot\$3 or (snap adj	USPAT;	2003/05/15
_	19		US-PGPUB; IBM_TDB USPAT;	2003/05/15
		(shoot\$3 or shot\$3))) with (screen or frame or web or browser or advertisement or ads)).ab. and (@ad<20010426)	US-PGPUB; IBM_TDB	12:59
_	36		USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:00
_	387		USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:00
-	114	<pre>((((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)) same (sav\$3 or store or storing)) and (@ad<20010426)) and</pre>	USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:01
		<pre>(internet or web or html or display\$3).ab.</pre>		

-	573	(internet or web or html or	USPAT;	2003/05/15
		display\$3).ab. and ((captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing)	US-PGPUB; IBM TDB	13:03
		with (message or box or frame or screen	IDM_IDD	
1		or banner or advertisement or ads)) and		
		((playback\$3 or rewind\$3 or replay\$3 or		
		redisplay\$3 or reshow\$3 or (re adj		
		(wind\$3 or play\$3 or display\$3 or		
		show\$3))) with (browser or html or xml or		
		page or web or message or frame or screen		
		or banner or advertisement or ads)) and		
		(@ad<20010426) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls. or 705/\$.ccls.		
		or 345/\$.ccls.)		
_	25	((((snapshoot\$3 or snapshot\$3 or (snap	USPAT;	2003/05/15
		adj (shoot\$3 or shot\$3))) and (screen or	US-PGPUB;	13:04
		frame or web or browser or advertisement	IBM TDB	
		or ads)) same (sav\$3 or store or	_	
		storing)) and (@ad<20010426)) and		
		(internet or web or html or		
		display\$3).ab. and ((playback\$3 or		
1		rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or		
		display\$3 or show\$3))) with (browser or		
		html or xml or page or web or message or		
		frame or screen or banner or		
		advertisement or ads))		
-	1	"20010039546"	USPAT;	2003/05/17
			US-PGPUB;	00:41
	1	//	IBM_TDB	2003/05/16
-	1	((captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or	USPAT; US-PGPUB;	2003/05/16 14:56
		frame or screen or banner or	IBM TDB	14.55
		advertisement or ads)).ab. and		
		(@ad<20010426) and (autosav\$3 or (auto		
		adj sav\$3))		
-	27	1 ' 1	USPAT;	2003/05/16
		with (message or frame or screen or	US-PGPUB;	17:06
		banner or advertisement or ads)) and	IBM_TDB	
		(@ad<20010426) and (autosav\$3 or (auto adj sav\$3))	1	
-	359		USPAT;	2003/05/16
		with (message or frame or screen or	US-PGPUB;	17:11
		banner or advertisement or ads) with	IBM_TDB	
		(configura\$5 or predetermined or defined)	_	
		with (rate or time or frequen\$3 or		
		period\$3)) and (@ad<20010426) and		
		(345/\$.ccls. or 705/\$.ccls. or		
		707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)		
_	1132	((display\$3 or present\$3) with (image or	USPAT;	2003/05/16
		picture or message) with (predetermined	US-PGPUB;	18:21
		or defined configura\$3) with (time or	IBM_TDB	
		rate or frequenc\$3)) and (@ad<20010426)	_	
		and (345/\$.ccls. or 705/\$.ccls. or		
	1	707/\$.ccls. or 709/\$.ccls. or		
	1	715/\$.ccls.)		<u> </u>

82 (((captur\$3 or sav\$3 or store or storing) USPAT; 2003/05/16 with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined) with (rate or time or frequen\$3 or period\$3)) and (@ad<20010426) and	
(345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 707/\$.ccls. or 715/\$.ccls.)) and (((display\$3 or	
present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (time or rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or	
707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	
96 (powerpoint with presentation) and USPAT; 2003/05/16 (@ad<20010426) and (345/\$.ccls. or 709/\$.ccls. IBM_TDB or 715/\$.ccls.)	
- 34 ((powerpoint with presentation) and USPAT; 2003/05/16 (@ad<20010426) and (345/\$.ccls. or US-PGPUB; 15:26 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. IBM_TDB	
or 715/\$.ccls.)) and rate (((captur\$3 or sav\$3 or store or storing) uspat; with (message or frame or screen or banner or advertisement or ads) with IBM TDB	
(configura\$5 or predetermined or defined) with (rate or time or frequen\$3 or period\$3)) and (@ad<20010426) and	
(345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 707/\$.ccls. or 715/\$.ccls.)) and (powerpoint with presentation)	
- 12 ((powerpoint with presentation) and (gad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. IBM_TDB or 715/\$.ccls.)) and (dispaly \$3 with (rate or frequency))	
- 83 ((captur\$3 or sav\$3 or store or storing) USPAT; 2003/05/16 with (message or frame or screen or banner or advertisement or ads) with (user or client) with (configura\$5 or	
predetermined or defined) with (rate or time or frequen\$3 or period\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 709/\$.ccls.	
or 715/\$.ccls.) ((captur\$3 or sav\$3 or store or storing) USPAT; USPAT; With (message or frame or screen or US-PGPUB; banner or advertisement or ads) with IBM_TDB	
(configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or	
715/\$.ccls.) - 2 (powerpoint and presentation).ab. and USPAT; 2003/05/16 (@ad<20010426) US-PGPUB; 18:20	
- 240 ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and	
(345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 715/\$.ccls.)	

_	6	((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:36
-	111	715/\$.ccls.) and (network or online).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:53
-	. 23	with (message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:06
-	3	online).ab. ((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval) with rate) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:04
-	58	online).ab. ((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:44
-	1159	(DOM or (document adj object adj model)) and (@ad<20010426)	USPAT; US-PGPUB; IBM TDB	2003/05/16 20:43
-	2	((DOM or (document adj object adj model)) with determin\$3 with (change or modification)) and (@ad<20010426)	USPAT; US-PGPUB; IBM TDB	2003/05/16 21:34
-	11	((captur\$3 or sav\$3 or store or storing or record\$3) with (different or modified or changed) with (file or message or frame or screen or banner or advertisement or ads)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 21:11
-	254	707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (DOM or (document adjobject adj model)) ((captur\$3 or sav\$3 or store or storing or record\$3) with ((different or modified or changed) near2 (file or message or frame or screen or banner or advertisement or ads))) and (@ad<20010426) and 707/\$.ccls. and (captur\$3 or sav\$3 or store or storing or record\$3).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 22:07

				0000105165
-	1	(((captur\$3 or sav\$3 or store or storing	USPAT;	2003/05/16
		or record\$3) with ((different or modified	US-PGPUB;	21:25
		or changed) near2 (file or message or	IBM TDB	
		frame or screen or banner or	_]
		advertisement or ads))) and		
		(@ad<20010426) and 707/\$.ccls. and		
		(captur\$3 or sav\$3 or store or storing or		
1		record\$3).ab.) and (DOM or (document adj		
		object adj model))		
_	27	((DOM or (document adj object adj model))	USPAT;	2003/05/16
		with (change or modification or	US-PGPUB;	21:42
		trigger\$3)) and (document adj object adj	IBM TDB	
]		model) and (@ad<20010426)	1011_100	ļ
[٥ د	((captur\$3 or sav\$3 or store or storing	USPAT;	2003/05/16
l -	96		US-PGPUB;	22:12
		or record\$3) with ((different or modified		22:12
	,	or changed) near2 (file or message or	IBM_TDB	
		frame or screen or banner or		
		advertisement or ads))) and		
		(@ad<20010426) and 707/\$.ccls. and		
		(captur\$3 or sav\$3 or store or storing or		
		record\$3).ab. and (determin\$3 with		
		(modified or chang\$3 or modification))		
-	7	5572643.pn. or 5708825.pn. or 5737619.pn.	USPAT;	2003/05/17
		or 5745360.pn. or 5761683.pn. or	US-PGPUB;	00:42
		6018748.pn. or 6021435.pn.	IBM_TDB	